


REV.	DESCRIPTION	DRAWN	DATE
		APPD.	DATE



Caution: There are two orientations for front panels; note orientation of large slots is different (top-to-bottom) for Driver, Patch panel boards (20) and the mating transition boards (6).

All measurements originate from bottom left corner of front panel.


6 0.594Dia.
Circle
cutouts

2 0.300Dia.
circle
cutouts


All cutouts
+/-5mil. tol.

ITEM	PART NO.	DESCRIPTION OR SIZE	QTY.
PARTS LIST			
UNLESS OTHERWISE SPEC.		ORIGINATOR	Mark Koslowski
FRACTIONS	DECIMALS	ANGLES	DRAWN
1/64	.015625	0.01	Patrick M. Liston
		CHECKED	
		APPROVED	
		USED ON	DIMENSION
		MATERIAL-	
FERMI NATIONAL ACCELERATOR LABORATORY UNITED STATES DEPARTMENT OF ENERGY			
HEATER DRIVER TRANSITION BOARD			
SCALE	FILMED	DRAWING NUMBER	REV.
		MB-173710-2A	

REV.	DESCRIPTION	DRAWN	DATE
		APPD.	DATE



Finished front panels should be RED Anodized on the front surface only with WHITE lettering. The remaining surfaces should be finished with clear irradiated conductive finish.

ITEM	PART NO.	DESCRIPTION OR SIZE	QTY.
PARTS LIST			
UNLESS OTHERWISE SPEC.		ORIGINATOR	Mark Koslowski
FRACTIONS	DECIMALS	ANGLES	DRAWN
1/64	.015625	0.01	Patrick M. Liston
		CHECKED	
		APPROVED	
		USED ON	SILKSCREEN
		MATERIAL-	
 FERMI NATIONAL ACCELERATOR LABORATORY UNITED STATES DEPARTMENT OF ENERGY			
HEATER DRIVER TRANSITION BOARD			
SCALE	FILMED	DRAWING NUMBER	REV.
		MB-173710-2A	

