



**NOTES: UNLESS OTHERWISE SPECIFIED**

1. REMOVE ALL BURRS AND SHARP EDGES .030 R MAX.  
DO NOT CHAMFER EDGES OF THE HOLES
2. MACHINED SURFACE ROUGHNESS  $125\sqrt{R}$
3. MATERIAL - MCMASTER-CARR 9232T171

REVISIONS						
ZONE	LTR	REVISIONS	ECR	DATE	BY	APRV
	--	INITIAL RELEASE		NOV05	PJS	PJS

D  
C  
B  
A



QTY. REQ.	PART OR IDENTIFYING NO.	DESCRIPTION	MATERIAL/SPECIFICATION	IDENT.	ITEM NO.
TOLERANCES UNLESS OTHERWISE NOTED .XX ±.03 ANGULAR ±.5° .XXX ±.010			<b>NATIONAL SOLAR OBSERVATORY</b> <small>OPERATED BY THE</small> <b>ASSOCIATION OF UNIVERSITIES FOR RESEARCH IN ASTRONOMY</b> <small>UNDER COOPERATIVE AGREEMENT WITH</small> <b>NATIONAL SCIENCE FOUNDATION</b>		
DO NOT SCALE DRAWING		NAME	USED ON	REF	
NEXT ASSEMBLY MNSN-EL-02-0007		<b>DETAIL MODIFICATION POWER SUPPLY COVER</b>	MONSOON	REV --	
SCALE: FULL	DESIGNED BY P.SCHMITT	DATE MAR05	CHECKED BY	DATE	DWG NO
DWG PRODUCED USING AUTOCAD LT2000	DRAWN BY D.STOVER	DATE JUL06	APPROVED BY	DATE	<b>MNSN-EL-02-1015</b>
PRINT ISSUED	DATE	APPROVED BY	DATE	RELEASED	SHEET 1 OF 1